

If you have any questions or comments about the product, please contact Axio Biosolutions Helpline at info@axiobio.com or +91 8860786067

	Keep away from sunlight
	Keep dry
	Do not reuse
	Do not re-sterilize
	Do not use if pack is damaged
	Manufacturer
	Date of manufacture
	Expiry date
LOT	LOT number

SKPR.IFU.13.07.23.Rev01

Sure Klot™

POWDER

INSTRUCTIONS FOR USE

AXIO®

Manufacturer:
Axio Biosolutions Private Limited
Plot 18, Gujarat Pharma Techno Park
Sari Matoda, Sanand Taluka
Ahmedabad-382220, Gujarat, India.
Mfg License no: MFG/MD/2020/000102
Customer Care: +91 88607 86067
Email: info@axiobio.com | Web: www.axiobio.com

SureKlot™ Powder

DEVICE DESCRIPTION:

The **SureKlot™ Powder** is a pale yellow to white powder for topical application containing 100% chitosan. It is used for rapid healing and bleeding control of wounds caused by clipping nails, scratches, lacerations, abrasions, trimming beaks, and other minor cuts during veterinary procedures. It is designed to come in contact with wound exudate and maintain a moist wound environment at the wound surface. It can also be used on animals infected by ticks, lice, maggots, mites, or flea bites and is a must in every household due to its ease of application.

COMPOSITION:

SureKlot™ Powder is composed entirely of chitosan.

ACTION/BENEFITS:

The **SureKlot™ Powder** maintains a moist wound environment that aids in the formation of granulation tissue and epithelialization. It has high absorbency properties and helps in wound exudate management, the ability to stop minor bleeding immediately, and protect the wounds from external microbial infection.
The **SureKlot™ Powder** is easily distributed across the wound bed, enhancing surface area contact of the dressing.

INDICATIONS FOR USE:

The **SureKlot™ Powder** is indicated for open cuts, surface wounds, granulated tissue, proud flesh & capillary bleeding.

DIRECTIONS FOR USE:

- Peel open the pouch and take out the powder vial.
- Pour the powder on the wound and apply pressure if the wound is bleeding.
- The haemostatic effect of the **SureKlot™ Powder** is greater when it is applied dry; therefore, it should not be moistened with water or saline prior to application.
- Apply a secondary dressing if required.
- To remove, irrigate with plenty of saline or water to ensure the **SureKlot™ Powder** is removed.
- For wound management, thoroughly wash the affected area with the **SureKlot™ Spray** or standard antiseptic solution and liberally puff/spray the powder on the wound.

WARNINGS:

- For external veterinary use only. Do not implant.
- If there is no improvement within 7 days, consult a veterinary surgeon.
- Do not use if the pack is open or damaged before use.
- Contains chitosan from shellfish. Natural material tends to change color. Efficacy remains unchanged.

STORAGE CONDITIONS:

Store at ambient temperature. Avoid direct sunlight, heat & moisture.

HOW SUPPLIED:

- 10 ml Powder Vial - SKVP10

SHELF LIFE:

The **SureKlot™ Powder** has a shelf life of 5 years.